

# DOMINATOR™ CONE

TECHNICAL  
SPECIFICATION

TWO PART MOULDED CONE WITH UV STABILISED HDPE MOULDED TOP & HEAVY DUTY  
100% RECYCLED BASE

TRAFFIC MANAGEMENT

## INSTRUCTIONS FOR USE (UK Specific)

Distribute cones as per requirements and the requirements of: . . . . .  
The Traffic Signs Regulations and General Directions 2002  
Safety at Street Works and Road Works

When used as described above, this cone will meet those requirements. Both are published by 'The Stationery Office'

## DIMENSIONS

<b>Small Dominator™ Cone:</b>	<b>Sleeve</b>
Height: 50cm	R1B - Single or Twin
Weight (W2): 1.9Kg	
Base Dimensions: 25cm x 25cm	
Pallet Quantity: 200	
<b>Medium Dominator™ Cone:</b>	<b>Sleeve</b>
Height: 75cm	R1B - Single or Twin
Weight (W2): 4Kg	R2A/R2B - Single or Twin
Base Dimensions: 43cm x 43cm	
Pallet Quantity: 150	
<b>Large Dominator™ Cone:</b>	<b>Sleeve</b>
Height: 1 Metre	R1B - Single or Twin
Weight (W2): 6Kg	R2A/R2B - Single
Base Dimensions: 58cm x 58cm	
Pallet Quantity: 100	



## DOMINATOR™ CONE MATERIALS

Cone Top: Polyethylene  
Cone Base: Reprocessed PVC  
Sleeve: PVC,

## DOMINATOR™ CONE FEATURES & BENEFITS

UV stabilised LDPE moulded top and heavy duty 100% recycled composite base  
Dominator™ Cone comes complete with Sealbrite™ class R1B Sleeve or R2A/R2B sleeve option  
Embossing Option  
Coloured Base Option  
Twin Sleeves Option  
Re'cone'ditioning™ Option

## DOMINATOR™ CONE CONFORMITY

Meets the requirements of EN 13422  
Production is carried out in an ISO 9001 quality system  
Quality System Testing is carried out in accordance with EN 13422

## CLEANING & MAINTENANCE

Clean with a warm soapy cloth and allow to air dry  
Keep clean and in a suitable environment

DISCLAIMER: Information presented within this technical specification was correct on date of issue. Information may be subject to change without notice as part of ongoing product improvement and development. To confirm any specific piece of information shown is current please email [technical@jpsafety.com](mailto:technical@jpsafety.com)



MANUFACTURING FOR SAFETY  
[WWW.JSPSAFETY.COM](http://WWW.JSPSAFETY.COM)

[UKSALES@JSPSAFETY.COM](mailto:UKSALES@JSPSAFETY.COM)  
TEL: +44 (0)1993 826050



Issued 24/03/22, V6