

Technical datasheet





X-MERCURY

S00760-P152

Safety shoes with upper in open-weave mesh fabric, ultra-breathable. Breathable and abrasion-resistant inner lining. Reinforced TPU heel guard and anti-abrasion protection at the toe. Lighter and more resistant fibreglass tip. Ultra-light anti-puncture plate. Removable Pulsar Cushioning insole in dual-density PU and open-cell system, ergonomic, antistatic and shock-absorbing. Midsole made with ultra-light dual-density PU mix. First midsole provides cushioning and long-lasting comfort, second midsole ensures stability and support. TPU tread, ultra-resistant to hydrolysis and wear. ESD safety footwear.







COMPOSITION: 100% POLYESTER

APPEARANCE: Mesh

WEIGHT: 1050 GR/MQ

PACK: 1/6 HS CODE: 64041990

MADE IN: IT

COLORS



Page 1 11.09.2025 07:16:24



Technical datasheet



CHARACTERISTICS
























































Page 2 11.09.2025 07:16:24





	Shoes																																		
Mondopoint (mm)	225	225	230	235	235	240	245	245	250	255	255	260	265	265	270	275	275	280	285	285	290	295	295	300	305	305	310	315	315	320	325	325	330	335	335
EUR	35	35½	36	361/2		371/2	38	38½	39	391/2	401/2	401/2		411/2		421/2		431/2	44	441/2		451/2	46	461/2	47	471/2	48	481/2	49	491/2	50	501/2		51½	52
UK	2,5	3	3,5	3,5	4	4,5	5	5,5	5,5	6	6,5	7	7,5	7,5	8	8,5	9	9	9,5	10	10,5	11	11	11,5	12	12,5	13	13	13,5	14	14,5	14,5	15	15,5	16
US Man	3	3,5	4	4,5	4,5	5	5,5	6	6	6,5	7	7,5	8	8	8,5	9	9,5	9,5	10	10,5	11	11,5	11,5	12	12,5	13	13,5	13,5	14	14,5	15	15	15,5	16	16,5
US Woman	4	4,5	5	5,5	5,5	6	6,5	7	7	7,5	8	8,5	8,5	9	9,5																				

FIND OUT MORE, SCAN HERE



Page 3 11.09.2025 07:16:24